



SDMS DocID

584981

~~005042~~

3.2

**BORING LOGS
FOR
JARD COMPANY, INC.
BENNINGTON, VERMONT
TDD NO. 12-10-0008
TASK NO. 0850
APRIL 2013 SAMPLING**

RECOVERY (inches):

3.1 ft
4/1/13

PID/FID (units):

RECORDED BY:

0
S. Britas / J. Kelly

0 ft

1 ft

2 ft

3 ft

4 ft

SOIL DESCRIPTION

0 - 0.9 ft Organic rich silty, dark brown
(0) (1.2) little clay, trace gravel, trace
organics (rootlets)

0.9 - 3.1 ft Light brown, sandy silt + trace
(1.2) (4.0) fine to coarse gravel

SB-01 A collected at 1415

2.1 to 3.1 ft.
(2.7) (4.0)

RECOVERY (inches):

3.6 ft

PID/FID (units):

0

4 ft

5 ft

6 ft

7 ft

8 ft

SOIL DESCRIPTION

0 - 3.6 ft silty fine sand trace med
(0) (4.0) to coarse sand trace + some
gravel, trace clay

SB-01B collected at 1420

from 2.6 to 3.6 feet
(2.9) (4.0)

PROPORTIONS USED
(by DRY WEIGHT)

0 to 10% = TRACE
>10 to 20% = LITTLE
>20 to 35% = SOME
>35 to 50% = AND
>50% = MAJOR

RECOVERY (inches):

3ft (36in)

PID/FID (units):

0

DATE:

4/11/13

RECORDED BY:

SB-tras / Kelly

8 ft

SOIL DESCRIPTION

9 ft

10 ft

11 ft

12 ft

0 - 1.8 - Brown silty fine sand, trace med to
(0) (2.4) coarse sand, trace fine to med gravel

1.8 - 3.0 - Wet gray sandy silt little to c gravel
(2.4) (4.0) appears to have oil stain.

SB-01C collected from 1.8 - 3.0 ft at 1430
(2.4) (4.0)

RECOVERY (inches):

1.5 ft.

PID/FID (units):

0

12 ft

SOIL DESCRIPTION

13 ft

14 ft

15 ft

16 ft

0 - 1.2 Dark gray gravelly sand, trace silt and clay
(0) (1.6) possible oil sheen

1.2 - 1.5 Dark gray sandy silt trace fine gravel,
(1.6) (2.0) little clay

SB-01D collected at 1440 from
0 - 1.5 ft.
(0) (2.0)

PROPORTIONS USED
(by DRY WEIGHT)

0 to 10% = TRACE
>10 to 20% = LITTLE
>20 to 35% = SOME
>35 to 50% = AND
>50% = MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft

SOIL DESCRIPTION

PROPORTIONS USED
(by DRY WEIGHT)

0 to 10% = TRACE
>10 to 20% = LITTLE
>20 to 35% = SOME
>35 to 50% = AND
>50% = MAJOR

RECOVERY (inches): 2.2 ft
DATE: 4/1/13

PID/FID (units): 0
RECORDED BY: SBtras/Jkey

0 ft

SOIL DESCRIPTION

1 ft

0 - 0.8 - organic roots silt rootlets.
(0) (1.5) D. Brown, little fine sand, little clay

2 ft

0.8 - 2.2 Light brown sandy silt trace clay
(1.5) (4.0) trace fine gravel

3 ft

orange snow fence at 1.4 ft

4 ft

SB-02A taken at 1520 from
1.2 to 2.2 ft
(2.2) (4.0)

RECOVERY (inches): 3.5 ft

PID/FID (units): 0

4 ft

SOIL DESCRIPTION

5 ft

0 - 3.5 - Brown sandy silt trace fine to med
(0) (4.0) gravel

6 ft

7 ft

SB-02B collected @ 1530
from 2.5 to 3.5 ft
(2.9) (4.0)

8 ft

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR




Jard Company, Inc
Bennington, Vermont

BORING NO: SB-02

RECOVERY (inches): 1.6 ft
DATE: 4/1/13

PID/FID (units): 0
RECORDED BY: SB/JK

SOIL DESCRIPTION




0-1.6 ft - brown, silty fine sand w/ 0.4
(0) (20)
sandy silt layer in center
trace fine gravel little med to
coarse sand

SB-02C collected @ 1540
from 0.6 to 1.6 ft interval
(0.8) (0.0)

RECOVERY (inches): _____ PID/FID (units): _____

SOIL DESCRIPTION



Refusal @ 10 ft.

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft


SOIL DESCRIPTION

**PROPORTIONS USED
(by DRY WEIGHT)**

0 to 10% = TRACE
>10 to 20% = LITTLE
>20 to 35% = SOME
>35 to 50% = AND
>50% = MAJOR

RECOVERY (inches): 2.3 ft
DATE: 4/1/13

PID/FID (units): 0
RECORDED BY: SB/JK



SOIL DESCRIPTION

0 - 0.4 - Dark Brown, organic rich silt, little clay,
(0.7) (0.7) trace sand trace fine gravel


0.4 - 1.5 Brown to D. Brown Sandy silt
(0.7) (2.6) trace f. to med gravel

1.5 - 2.3 crushed stone quartzite, possible cobble
(2.6) (4.0) SB-03A collected @ 1565

from 0.4 - 1.5 ft
(0.7) (0.6)

RECOVERY (inches): 1.7 ft

PID/FID (units): 1.1 ppm @ bottom



SOIL DESCRIPTION

0 - 0.8 = shattered cobbles gray sandy silt
(0.7) (0.8) (1.2) 9/13/13 Some medium to coarse gravel

0.8 - 1.7 - Dark grey silty sand, some med
(0.8) (2.5) (1.2) 9/13/13 to coarse gravel, rock fragments
red (possible brick)

SB-03 B collected @ 1605 from
0.8 - 1.7 ft.

(1.7) (0.8) (2.5)
Refusal @ 6.5 ft.

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

8 ft

9 ft

10 ft

11 ft

12 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

12 ft

13 ft

14 ft

15 ft

16 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0	to 10% = TRACE
>10	to 20% = LITTLE
>20	to 35% = SOME
>35	to 50% = AND
>50%	= MAJOR

RECOVERY (inches): 3.2 ft
DATE: 4/8/13

PID/FID (units): 0
RECORDED BY: SB/JK

0 ft

1 ft

2 ft

3 ft

4 ft

SOIL DESCRIPTION

0-0.5 organic rich D Brown silt and f sand
(0) (0.6) trace organics

0.5-3.2 brown f to c sand ^(SB) little silt
(0.6) (4.0) trace f to med gravel

SB-05A collected @ 1130
from 1.7 to 3.2 ft
(2.1) (4.0)

RECOVERY (inches): 1.8 ft

PID/FID (units): 0

4 ft

5 ft

6 ft

7 ft

8 ft

SOIL DESCRIPTION

0-1.2 - brown f to c sand, little silt
(0) (1.3) trace f to med gravel

1.2-1.4 - brown^{to dark brown} wet fine sand + silt, ^{- Poly at 1.2 ft}
(1.3) (1.6) trace med to coarse sand, trace fine gravel

1.4-1.8 - pulverized concrete.
(1.6) (2.0) SB-05B collected from 1.2-1.4 @ 1135.
(1.3) (1.6)

Refusal @ 6 ft (concrete)

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

8 ft

9 ft

10 ft

11 ft

12 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

12 ft

13 ft

14 ft

15 ft

16 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0	to 10% = TRACE
>10	to 20% = LITTLE
>20	to 35% = SOME
>35	to 50% = AND
>50%	= MAJOR

RECOVERY (inches):

3.4 ft
4/8/13

PID/FID (units):

RECORDED BY:

0
SB/JK

0 ft

1 ft

2 ft

3 ft

4 ft

SOIL DESCRIPTION

0 - 0.5 - D. Brown organic rich silt, some
(0) (0.6) fine to coarse sand, trace clay

0.5 - 1.7 - Brown, f to c sand, some silt, trace
(0.6) (2.0) fine gravel

1.7 - 2.5 - Brown to gray fine to coarse sand and
(2.0) (2.9) silt, trace fine gravel,

2.5 - 3.4 - crushed rock
(2.9) (4.0)

SB-07A collected @
1145 from 1.7 - 2.5 ft
(2.0) (2.9)

Refusal @ 4 ft.

RECOVERY (inches):

PID/FID (units):

4 ft

5 ft

6 ft

7 ft

8 ft

SOIL DESCRIPTION

PROPORTIONS USED
(by DRY WEIGHT)

0 to 10% = TRACE
>10 to 20% = LITTLE
>20 to 35% = SOME
>35 to 50% = AND
>50% = MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

8 ft	
9 ft	
10 ft	
11 ft	
12 ft	

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

12 ft	
13 ft	
14 ft	
15 ft	
16 ft	

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR

RECOVERY (inches):

3.3ft

PID/FID (units):

DATE:

4/8/13

RECORDED BY:

SB / JIK

0 ft

SOIL DESCRIPTION

1 ft

2 ft

3 ft

4 ft

0 - 0.4 ft - Dark brown, silt, trace clay, trace
(0) (0.5) fto c sand, trace fine gravel, trace organics

0.4 - 1.2 ft Brown to L. brown Fine sand some
(0.5) (1.5) silt trace med to c sand trace
brown, fine gravel

1.2 - 2.4 ft fine to coarse sand, little silt
(1.5) (2.9) trace fine gravel trace organics

(SB) ~~2.1 - 2.4 brown,~~
(2.9) (5.4)

2.4 - 2.8 D. brown to grey silt and fine sand trace
(3.4) (4.0) med to c sand, trace organics trace
trace med to c sand + to m gravel

SB-09C (2.9) (3.4) 1.4 ft to 2.4 ft
(1.7) @ 12' 5"

RECOVERY (inches):

PID/FID (units):

trace f to m gravel
trace organic (wood debris)

SB-09B collected @ 12' 5"
(3.4) (4.0) from 2.8 - 3.3

4 ft

SOIL DESCRIPTION

Recovery = 2.9 ft

PID/FID (units): 0

5 ft

0 - 0.4 brown to gray f SAND + SILT, little med to c
(0) (0.6) sand, trace clay.

6 ft

0.4 - 2.5 - brown to light brown, fine SAND + SILT, trace
(0.6) (3.4) med to coarse sand, trace fine gravel, MOIST

7 ft

piece of pty @ 2.5 ft

8 ft

2.5 - 2.9 wet, (SB) grey,
(3.4) (4.0) fine to coarse SAND, some fine to coarse
gravel, trace silt,

PROPORTIONS USED
(by DRY WEIGHT)

0 to 10% = TRACE
>10 to 20% = LITTLE
>20 to 35% = SOME
>35 to 50% = AND
>50% = MAJOR

SB-09D collected @ 12' 5" from
2.5 to 2.9 ft
(3.4) (4.0)

RECOVERY (inches):

1.9 ft
4/8/13

PID/FID (units):

RECORDED BY:

0
SB/JK

8 ft

9 ft

10 ft

11 ft

12 ft

SOIL DESCRIPTION

0-0.4 ft Brown to D. brown; silt and fine to coarse sand
(0) (0.6) trace fine to coarse gravel (likely 110 ft)

0.4-0.7 - grey to reddish brown, fine to c sand + silt same fine to coarse gravel.
(0.6) (1.1)

0.7-1.3 - pulverized rock.
(1.1) (2.1)

1.3-1.9 - SATURATED, grey fine to coarse gravel, little fine to coarse sand trace silt
(2.1) (3.0)
Refusal @ 11 ft

SB-09 collected @ 1255 from 1.3 to 1.9 ft
(2.1) (3.0)

RECOVERY (inches):

PID/FID (units):

12 ft

13 ft

14 ft

15 ft

16 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0	to 10% = TRACE
>10	to 20% = LITTLE
>20	to 35% = SOME
>35	to 50% = AND
>50%	= MAJOR

RECOVERY (inches):

DATE:

0.9ft
4/8/13

PID/FID (units):

RECORDED BY:

0
SB / JK


0 ft

1 ft

2 ft

3 ft

4 ft



SOIL DESCRIPTION

0-0.2 - organic debris (wood chips, bark)
(0) (0.4)
0.2-0.5 - ^{Brown} med gravel, some fine sand, some silt,
(0.4) (1.1)
0.5-0.6 - ^{Brown} silt, saturated, brown, trace fine med sand
(1.1) (1.3) trace clay
0.6-0.9 - ^{Brown} fine sand + silt, trace med to c sand
(1.3) (2.0) trace fine gravel, trace clay

Refusal @ 2ft

SB-04A - 1220 - 0.5-0.6ft
moist (1.1) (1.3)
SB-04B - 1220 - 0.6 to 0.9ft
(1.3) (2.0)

RECOVERY (inches):

PID/FID (units):


4 ft

5 ft

6 ft

7 ft

8 ft



SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

8 ft

9 ft

10 ft

11 ft

12 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

12 ft

13 ft

14 ft

15 ft

16 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0	to 10% = TRACE
>10	to 20% = LITTLE
>20	to 35% = SOME
>35	to 50% = AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0	to 10% = TRACE
>10	to 20% = LITTLE
>20	to 35% = SOME
>35	to 50% = AND
>50%	= MAJOR

RECOVERY (inches):

2.9 ft
4/8/13

PID/FID (units):

0
SB/JR

DATE:

RECORDED BY:

0 ft

SOIL DESCRIPTION

1 ft

2 ft

3 ft

4 ft

0-0.7- D. Brown, silt, some fine sand, trace m to c sand
(0) (1.0) trace f gravel, trace organics

0.7-1.1 - Brown, fine to coarse sand + silt, trace fine
(1.0) (1.5) gravel,

1.1-1.7 - Brown, f to c sand, little silt + trace f gravel
(1.5) (2.3)

1.7-2.4 - light grey to grey, fine sand + silt trace f to
(2.3) (3.3) coarse sand, trace organics, trace f gravel

2.4-2.9 - D brown, fine sand + silt, trace clay
(3.3) (4.0) trace f to med gravel, trace med to
coarse sand.

SB-06A - 1.7-2.4-1235
(2.3) (3.3)

SB-06B - 2.4-2.9-1235
(3.3) (4.0)

SB-06C - 1.7-1.7ft-1240
(1.5) (2.3)

RECOVERY (inches):

PID/FID (units):

4 ft

SOIL DESCRIPTION

5 ft

6 ft

7 ft

8 ft

PROPORTIONS USED
(by DRY WEIGHT)

0 to 10% = TRACE
>10 to 20% = LITTLE
>20 to 35% = SOME
>35 to 50% = AND
>50% = MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

8 ft

9 ft

10 ft

11 ft

12 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

12 ft

13 ft

14 ft

15 ft

16 ft

SOIL DESCRIPTION

PROPORTIONS USED
(by DRY WEIGHT)

0 to 10% = TRACE
>10 to 20% = LITTLE
>20 to 35% = SOME
>35 to 50% = AND
>50% = MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft


24 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	TRACE
>10 to 20%	LITTLE
>20 to 35%	SOME
>35 to 50%	AND
>50%	MAJOR

RECOVERY (inches): 3.2 ft
DATE: 4/8/13

PID/FID (units): 0
RECORDED BY: CB/JK



SOIL DESCRIPTION


0 - 0.7 ft - D. Brown silt, little fine to med sand, trace med to coarse sand, trace organics
(0) (0.9)

0.7 - 3.2 ft - Brown to yellow brown, fine SAND, trace med to c sand, trace fine gravel little silt
(0.9) (4.0)

SB-08A collected @ 1345 from 1.2 to 3.2 feet.
(1.5) (9.0)

RECOVERY (inches): 3.2 ft

PID/FID (units): 0



SOIL DESCRIPTION

0 - 2.3 ft - Brown, fine sand, some silt, little med to coarse sand trace fine gravel, trace clay
(0) (2.9)

2.3 - poly lining
(2.9)

2.3 - 3.2 D. brown f to c SAND, some silt, little fine to med gravel
(2.9) (4.0)

SB-08B collected at 1350 from 2.3 to 3.2 ft
(2.9) (4.0)

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR

RECOVERY (inches):

2.2 ft
4/8/13

PID/FID (units):

0

DATE:

RECORDED BY:

SB/JK

SOIL DESCRIPTION

8 ft

9 ft

10 ft

11 ft

12 ft

0 - 0.5 ft - D. brown, f sand + silt, little
(0) (0.7) med to coarse sand, trace clay,
trace organics (likely Httt)

0.5 - 1.5 ft - Brown
(0.7) (2.0) fine to med. gravel, ~~some~~
fine to coarse sand, little silt

1.5 - 2.2 ft - ~~possible sheen~~ ^{visible sheen SB}, petroleum odor
(2.0) (3.0) olive to grey fine to med gravel
and fine to coarse sand some silt, trace
clay

8-11 ft +
core

SB-08C-14⁰⁰ - 0.5 - 1.5 ft

SB-08D-14⁰⁰

RECOVERY (inches):

1.5 - 2.2 ft
(2.0) (3.0)

PID/FID (units):

SOIL DESCRIPTION

12 ft

13 ft

14 ft

15 ft

16 ft

PROPORTIONS USED
(by DRY WEIGHT)

0 to 10% = TRACE
>10 to 20% = LITTLE
>20 to 35% = SOME
>35 to 50% = AND
>50% = MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft


SOIL DESCRIPTION

PROPORTIONS USED
(by DRY WEIGHT)

0 to 10% = TRACE
>10 to 20% = LITTLE
>20 to 35% = SOME
>35 to 50% = AND
>50% = MAJOR

RECOVERY (inches): 1.5ft
DATE: 4/8/13

PID/FID (units):
RECORDED BY: SB/JK



SOIL DESCRIPTION

0-0.3ft - asphalt mixed w/ brown floc sand +
(0) (0.4) silt,

0.3-1.0ft - D. Brown, floc sand + silt, trace clay
(0.4) (1.3) trace to m gravel,


1.0-1.5ft - crushed rock mixed w/ brown silt and floc
(1.3) (2.0) sand, little gravel,

Refusal @ 2'

SB-10A collected @ 1545 from 0.3 to 1.0ft (0.4) (1.3) DRY.

RECOVERY (inches): _____

PID/FID (units): _____



SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

8 ft

9 ft

10 ft

11 ft

12 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

12 ft

13 ft

14 ft

15 ft

16 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	TRACE
>10 to 20%	LITTLE
>20 to 35%	SOME
>35 to 50%	AND
>50%	MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	TRACE
>10 to 20%	LITTLE
>20 to 35%	SOME
>35 to 50%	AND
>50%	MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

0 ft

1 ft

2 ft

3 ft

4 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

4 ft

5 ft

6 ft

7 ft

8 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	TRACE
>10 to 20%	LITTLE
>20 to 35%	SOME
>35 to 50%	AND
>50%	MAJOR

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

8 ft

9 ft

10 ft

11 ft

12 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

12 ft

13 ft

14 ft

15 ft

16 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (Inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0	to 10% = TRACE
>10	to 20% = LITTLE
>20	to 35% = SOME
>35	to 50% = AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

0 ft

1 ft

2 ft

3 ft

4 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

4 ft

5 ft

6 ft

7 ft

8 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	TRACE
>10 to 20%	LITTLE
>20 to 35%	SOME
>35 to 50%	AND
>50%	MAJOR

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

8 ft

9 ft

10 ft

11 ft

12 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

12 ft

13 ft

14 ft

15 ft

16 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0	to 10% = TRACE
>10	to 20% = LITTLE
>20	to 35% = SOME
>35	to 50% = AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft

SOIL DESCRIPTION

PROPORTIONS USED
(by DRY WEIGHT)

0 to 10% = TRACE
>10 to 20% = LITTLE
>20 to 35% = SOME
>35 to 50% = AND
>50% = MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

0 ft

1 ft

2 ft

3 ft

4 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

4 ft

5 ft

6 ft

7 ft

8 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	TRACE
>10 to 20%	LITTLE
>20 to 35%	SOME
>35 to 50%	AND
>50%	MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

8 ft

9 ft

10 ft

11 ft

12 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

12 ft

13 ft

14 ft

15 ft

16 ft

SOIL DESCRIPTION

**PROPORTIONS USED
(by DRY WEIGHT)**

0 to 10% = TRACE
>10 to 20% = LITTLE
>20 to 35% = SOME
>35 to 50% = AND
>50% = MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

0 ft

1 ft

2 ft

3 ft

4 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

4 ft

5 ft

6 ft

7 ft

8 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

8 ft

9 ft

10 ft

11 ft

12 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

12 ft

13 ft

14 ft

15 ft

16 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	TRACE
>10 to 20%	LITTLE
>20 to 35%	SOME
>35 to 50%	AND
>50%	MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

0 ft

1 ft

2 ft

3 ft

4 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

4 ft

5 ft

6 ft

7 ft

8 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0 to 10%	= TRACE
>10 to 20%	= LITTLE
>20 to 35%	= SOME
>35 to 50%	= AND
>50%	= MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

8 ft

9 ft

10 ft

11 ft

12 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

12 ft

13 ft

14 ft

15 ft

16 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)
0 to 10% = TRACE
>10 to 20% = LITTLE
>20 to 35% = SOME
>35 to 50% = AND
>50% = MAJOR



Jard Company, Inc
Bennington, Vermont

BORING NO: _____

RECOVERY (inches): _____
DATE: _____

PID/FID (units): _____
RECORDED BY: _____

16 ft

17 ft

18 ft

19 ft

20 ft

SOIL DESCRIPTION

RECOVERY (inches): _____

PID/FID (units): _____

20 ft

21 ft

22 ft

23 ft

24 ft

SOIL DESCRIPTION

PROPORTIONS USED (by DRY WEIGHT)	
0	to 10% = TRACE
>10	to 20% = LITTLE
>20	to 35% = SOME
>35	to 50% = AND
>50%	= MAJOR